## GOVERNMENT OF ANDHRA PRADESH ABSTRACT

Public Servants-PRED- Sri Donthamsetty. Satyanarayana, Deputy Executive Engineer, O/o the E.E., PR, Dept., Rajahmundry, East Godavari District - Departmental proceedings initiated under Rule 20 of A.P.C.S. (C,C & A) Rules 1991 - for his failure to file annual property returns to the competent authority - Enquiry conducted - Imposition of minor penalty of withholding of one annual grade increment without cumulative effect - Orders - Issued.

G.O.Rt. No 1256

Dated.30.07.2013 Read the following:

- 1. From the DG.ACB., A.P., Hyderabad Lr.Rc. No. 264/RCT-REG/2008, dated:26.03.2009.
- 2. Govt. Memo No.27003/Vig.II/A2/2008-2, dt: 18.07.2009.
- 3. From Sri. D. Satyanarayana, DEE (U/S) PR, Sub-Division, Rajamundry, dated Nil.
- 4. G.O.Rt. No. 944 PR&RD (Vig.II) Dept., dated 31-05-2005.
- 5. From the ENC, PR, Hyderabad Lr. Vig II (2)/34072/08,dt., 02-01-2013.

## ORDER:

In the reference 2<sup>nd</sup> read above, charges have been framed against Sri Donthamsetty Satyanarayana, the then DyEE, PR, Rajamundry, East Godavari District for his failure in filing of Annual Property Returns for certain years to the Competent Authority.

- 2. The Charged Officer has submitted his written statement of defence vide reference 3<sup>rd</sup> read above. After examination of the WSD submitted by the Charged Officer and enquiry has been ordered vide reference 4<sup>th</sup> read above.
- 3. In the reference 5<sup>th</sup> read above, the Engineer-in-Chief, Panchayat Raj, Hyderabad has forwarded the Enquiry Report submitted by the Enquiry Officer.
- 4. Government after careful examination of the matter, have construed that the charge framed against him is partly proved and decided to impose a minor penalty of withholding of stoppage of one annual grade increment without cumulative effect against Sri Donthamsetty Satyanarayana, DyEE, PR, specifying that it is not prejudiced to the trial case pending against him, accordingly, hereby ordered to impose a minor penalty of withholding of one annual grade increment without cumulative effect against Sri Donthamsetty Satyanarayana, DyEE, PR, under Andhra Pradesh Civil Services (Classification, Control and Appeal) Rules, 1991 without prejudice to the outcome of the trial case pending against him in ACB court in connection with trap case.
- 6. The Engineer in Chief, Panchayat Raj, Hyderabad shall take necessary further action accordingly.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

V.NAGI REDDY
PRINCIPAL SECRETARY TO GOVERNMENT (PR)

То

- 1) Sri Donthamsetty Satyanarayana, DyEE, PR, Rajamundry, East Godavari District through the Engineer-in-Chief, Panchayat Raj, Hyderabad.
- 2) The Engineer-in-Chief, Panchayat Raj, Hyderabad.

Contd...

## Copy to:

- 3) Director General, Anti Corruption Bureau, Hyderabad.
- 4) The Secretary to Vigilance Commissioner,
  Andhra Pradesh Vigilance Commission, Hyderabad.
- 5) The P.S. to M (PR&RWS)6) The P.S. to Prl. Secretary (PR)7) SC/SF

// FORWARDED BY ORDER//

SECTION OFFICER